

APPROVED CHEMICALS FOR USE IN ENGINE ROOMS

Edition 1.68 2016-July 28th replaces edition 1.67 – MaGo

The tests only take the possibility of emulsion breaking into consideration in order to process the bilge water through the MARINFLOC **CD** bilge water cleaning system. Of the tested chemicals, the list below shows the chemicals we consider can be used. Note that all chemicals have been tested at concentrations according to maker's recommendations.

Number of tested chemicals: 259.

<u>Chemical</u>	<u>Maker</u>	<u>Comments</u>
ACC1	(NORDTEC)	Easy to separate
ACC ME	(DREW/ASHLAND)	Can be separated
ABNET	(ABNET)	Can be separated
ACC 9	(DREW/ASHLAND)	Can be separated
ADJUNCT B	(DREW/ASHLAND)	Can be separated
AGK-100	(DREW/ASHLAND)	Can be separated
ALKALINITY CONTROL	(NALFLEET)	Can be separated
ALKLEEN SAFETY LIQUID	(UNITOR)	Can be separated
ALU-RENT	(KEMOL)	Easy to separate
ALU BRIGHT	(ORAPI)	Can be separated*
AIR COOLER CLEANER	(UNITOR)	Can be separated
AMEROID OWS	(DREW/ASHLAND)	Can be separated
AMEROID DC	(DREW/ASHLAND)	Can be separated*
AMERSITE CHZ	(DREW/ASHLAND)	Easy to separate
AMERZINE	(DREW/ASHLAND)	Can be separated
AQUABREAK PX	(UNITOR)	Can be separated*
AQUATUFF	(UNITOR)	Can be separated*
AQUAWASH	(AQUA MARINE CHEM. LTD)	Easy to separate
AUTOTREAT	(UNITOR)	Can be separated
AVFETTNINGVAESKE A	(STATOIL)	Can be separated
BIB-22		Can be separated
CARBON REMOVER	(UNITOR)	Can be separated
CARBON REMOVER	(DREW/ASHLAND)	Can be separated
CARBON REMOVER	(UNISERVICE)	Can be separated
CARBON CLEANER LT	(UNITOR)	Easy to separate
CARECLEAN HD DESCALEX L	(MARINECARE)	Can be separated*
CARECLEAN DESCALEX P	(MARINECARE)	Can be separated*
CARECLEAN FILTER	(MARINECARE)	Easy to separate
CARECLEAN DEGREASER GP	(MARINECARE)	Easy to separate
CARECLEAN ECS QUICKDRY	(MARINECARE)	Easy to separate
CARECLEAN ENERGYWASH	(MARINECARE)	Can be separated
CARECLEAN CARBON	(MARINECARE)	Easy to separate
CARECLEAN MULTICLEANER	(MARINECARE)	Can be separated*
CARECLEAN GP ENVIRO	(MARINECARE)	Can be separated*
CARECLEAN OSD ENVIRO	(MARINECARE)	Can be separated*
CARECLEAN RUST	(MARINECARE)	Can be separated*
CARECLEAN DEGREASER HD SPLIT	(MARINECARE)	Can be separated
CARECLEAN DEGREASER HD	(MARINECARE)	Easy to separate
CARECLEAN ULTRASONIC	(MARINECARE)	Can be separated
CARECLEAN HIGH PRESSURE CL.	(MARINECARE)	Can be separated*
CARECLEAN VOYAGE	(MARINECARE)	Can be separated
CARECLEAN QUICK SPLIT	(MARINECARE)	Easy to separate
CARECLEANAQUAWASH	(MARINECARE)	Can be separated*
CARECLEAN ACC	(MARINECARE)	Can be separated

**Always keep a high level in the bilge water tank when using these chemicals in order to obtain a buffer effect*

CARECLEAN BOILER TREAT. CO.	(MARINECARE)	Can be separated
CARECLEAN ALKALINE	(MARINECARE)	Easy to separate
CARECLEAN ECS SAFE	(MARINECARE)	Easy to separate
CARETREAT 2 DIESEL	(MARINECARE)	Easy to separate
CARETREAT 3 BOILER	(MARINECARE)	Can be separated
CARETREAT 4 CONDENSATE	(MARINECARE)	Can be separated
CAUSTIC SODA	(VARIOUS SUPPLIERS)	Easy to separate
CHLORINE	(VARIOUS SUPPLIERS)	Easy to separate
CITRIC ACID	(VARIOUS SUPPLIERS)	Can be separated*
CITRIKLEEN	(UNISERVICE)	Can be separated
CLEAN BREAK	(UNISERVICE)	Can be separated
CLEANBREAK	(UNITOR)	Easy to separate
CLEANRIG HP	(UNITOR)	Can be separated*
COOLTREAT AL	(UNITOR)	Easy to separate
COLD WASH	(UNISERVICE)	Can be separated*
COLD WASH HD	(UNITOR)	Can be separated
CONDENSATE CONTROL	(UNITOR)	Easy to separate
DESCALING LIQUID	(UNITOR) (HCL. ACID)	Can be separated*
DESCALING LIQUID	(UNISERVICE)	Can be separated*
DESCALE-IT	(DREW/ASHLAND)	Can be separated*
DEWT	(DREW/ASHLAND)	Can be separated
DIESELGUARD NB	(UNITOR)	Easy to separate
DISCLEAN	(UNITOR)	Can be separated*
DREWCLEAN 2000	(DREW/ASHLAND)	Can be separated
DREWCLEAN 3000	(DREW/ASHLAND)	Can be separated
DREWFRESH 2000	(DREW/ASHLAND)	Can be separated*
DREWGUARD CWT	(DREW/ASHLAND)	Can be separated*
DREW ELECTRIC FAST DRY	(DREW/ASHLAND)	Easy to separate
DREW ELECTRIC 2000	(DREW/ASHLAND)	Easy to separate
DREW FC	(DREW/ASHLAND)	Easy to separate
DREWPLEX OX	(DREW/ASHLAND)	Can be separated
DREWPLEX AT	(DREW/ASHLAND)	Can be separated
ECOCLEAN	(UNISERVICE)	Can be separated
EDGE HEAVY DUTY CLEANER	(DREW/ASHLAND)	Can be separated
EFFEKTTVÄTT	(WURT)	Can be separated
ELECTROSOLV-E	(UNITOR)	Can be separated
ENERGY CLEANER	(INVECTA)	Can be separated*
ENVIROCLEAN	(UNITOR)	Can be separated*
ENVIROKLEAN	(COAST PRODUCTS INC.)	Easy to separate
ENVIROMATE 2000	(DREW/ASHLAND)	Can be separated*
ENZYMECLEAN	(ORAPI)	Can be separated
EVALKAL L 25	(KEREMA)	Can be separated*
ETC403	(EverTec)	Easy to separate
F10	(DULON INT)	Easy to separate
(F42)	(EUROCLEAN)	Easy to separate
FERROCLEAN	(DREW/ASHLAND)	Can be separated
FILTER CLEAN	(UNISERVICE)	Can be separated
FM 186-2	(ENVIRONMENTAL CHEMICAL SOLUTIONS INC.)	Can be separated
FORDONSTVÄTT KRAFT	(DAY-SYSTEM AB)	Easy to separate
FORE & AFT	(UNITOR)	Easy to separate
GATOR WASH	(PRODUCT SERVICES CO)	Easy to separate
GC	(DREW/ASHLAND)	Easy to separate
GAMABREAK	(UNITOR)	Can be separated*
GREENCARE ACF	(MARINE CARE B.V)	Easy to separate
GREENCARE BLOW OUT	(MARINE CARE B.V)	Easy to separate
GREENCARE CEMENT REMOVER	(MARINE CARE B.V)	Easy to separate
GREENCARE DESCALING LIQUID	(MARINE CARE B.V)	Easy to separate

**Always keep a high level in the bilge water tank when using these chemicals in order to obtain a buffer effect*

GREENCARE HOLDWASH	(MARINE CARE B.V)	Easy to separate
GREENCARE OMNI	(MARINE CARE B.V)	Easy to separate
GREENCARE RUST REMOVER	(MARINE CARE B.V)	Easy to separate
GREENCARE SYNERGY	(MARINE CARE B.V)	Easy to separate
GREENCARE TEAKCLEANER	(MARINE CARE B.V)	Easy to separate
GREEN UNIKLEEN	(NARI INVESTMENT GROUP)	Easy to separate
HDE-777	(DREW/ASHLAND)	Can be separated
HEAVY DUTY DEGREASER / ALL PURPOSE CLEANER	(HERITAGE LABS GREEN LLC)	Can be separated*
HEPBURN BIO CLEAN	(DEERBERG SYSTEMS)	Easy to separate
HESSA GROVRENGÖRING	(HESSA)	Can be separated
HESSA KALLAVF. AROMATFRI	(HESSA)	Easy to separate
HP WASH	(UNITOR)	Can be separated*
HOITRYCKSRENS 304 EXTRA	(IDUNA)	Can be separated
HYDRAL	(SABO)	Easy to separate
INDUSTRIRENT	(KEMOL)	Easy to separate
IGGESOLV		Can be separated
KEMOL 305	(KEMOL)	Easy to separate
KOMBI 212 UNIVERSAL-RENT	(KOMBI KEMI)	Can be separated*
KUUMA KALLG.		Can be separated
LAC	(DREW/ASHLAND)	Easy to separate
LBT	(IGE TRADING)	Can be separated
LIQUIDEWT	(DREW/ASHLAND)	Can be separated
LIQUIDTREAT	(UNITOR)	Can be separated
LOW EMULSIFYING WASH	(KNIGHT MARKETING CORP)	Can be separated
MAGNU SPRAY 200		Can be separated
MARISOL	(UNISERVICE)	Can be separated
MARISOL AP	(MARITECH)	Can be separated
MARISOL CW	(MARITECH)	Easy to separate
MARISOL CC	(MARITECH)	Can be separated
MARISOL GD	(MARITECH)	Easy to separate
MARISOL HD	(MARITECH)	Easy to separate
MARISOL LD/OD	(MARITECH)	Can be separated
MARISOL FC CIP fluid	(MARITECH)	Easy to separate
MARISOL SC CIP fluid	(MARITECH)	Can be separated*
MARISOL LC	(MARITECH)	Can be separated
MARISOL OM	(MARITECH)	Can be separated
MARISOL QS	(MARITECH)	Easy to separate
MARISOL TERRA	(MARITECH)	Can be separated*
MARISOL OC	(MARITECH)	Can be separated*
MARISOL OC-E	(MARITECH)	Can be separated*
MARCLEAN SC	(TECO MARITIME AS)	Can be separated
MARCLEAN XP0321	(SNOWCLEAN AB)	Can be separated
MASAVA OFFSHORE CLEANER	(MASAVA KEMI)	Easy to separate
MASAVA HERKULES	(MASAVA KEMI)	Easy to separate
MASAVAMARINE CLEANER	(MASAVA KEMI)	Easy to separate
MASAVA SAFETY CLEANER	(MASAVA KEMI)	Easy to separate
MASAVA OFFSHORE CL. NOR 2	(MASAVA KEMI)	Easy to separate
MASAVA FLOORSOAP EXTRA	(MASAVA KEMI)	Easy to separate
MASAVA DAN QUICK EXTRA	(MASAVA KEMI)	Easy to separate
MAXIGUARD	(DREW/ASHLAND)	Can be separated
METAL BRITE	(UNITOR)	Can be separated*
MICROSIT POLAR	(NORKEM)	Can be separated
NALFLEET 79125 SAFE ACID	(NALFLEET)	Can be separated*
NALFLEET 79100 ELECTROCLEAN	(NALFLEET)	Can be separated
NALFLEET 9-108 EN. W. TREAT.	(NALFLEET)	Easy to separate
NALFLEET 79105 ALK. CLEANER	(NALFLEET)	Can be separated

**Always keep a high level in the bilge water tank when using these chemicals in order to obtain a buffer effect*

NALFLEET 79101 ACC	(NALFLEET)	Can be separated*
NALFLEET 79103 CLEAR BREAK	(NALFLEET)	Easy to separate
NALFLEET 79106 CARBON CLEAN	(NALFLEET)	Can be separated
NALFLEET 79110 MULICLEAN	(NALFLEET)	Can be separated
NALFLEET 79115 DEGREASER	(NALFLEET)	Easy to separate
NALFLEET 79117 COCOSMICRO	(NALFLEET)	Easy to separate
NALFLEET 79118 DET. CLEAN	(NALFLEET)	Can be separated*
NALFLEET NALCOOL 2000	(NALFLEET)	Can be separated
NALFLEET POT. WATER STAB.	(NALFLEET)	Can be separated
NALFLEET 79112 METAL BRIGHT	(NALFLEET)	Can be separated*
NALFLEET 79104 HEAVY DUTY CL.	(NALFLEET)	Can be separated
NALFLEET 79127 DISC CLEANER	(NALFLEET)	Can be separated*
NALFLEET 79601 MULTIPLUS	(NALFLEET)	Can be separate
NALFLEET 79600	(NALFLEET)	Can be separated
NALCO MAXICLEAN 2	(NALFLEET)	Can be separated
NALCO 3430	(NALFLEET)	Easy to separate
NALCO 71211	(NALFLEET)	Can be separated
NALCO EC 2043A	(NALFLEET)	Easy to separate
NALCOOL	(NALFLEET)	Easy to separate
NALFLEET 79112 METAL BRIGHT	(NALFLEET)	Can be separated*
NATURAL ZEST	(AQUA MARINE CHEM. LTD)	Easy to separate
NAVALKLEEN	(ENVIROLOGIC BIO-BASED TECHNOLOGIES)	Can be separated
NY SUPERB	(RENICO AB)	Easy to separate
OIL AND GREASE REMOVER	(DREW/ASHLAND)	Easy to separate
OIL-SAM		Easy to separate
ORANGE MUSCLE	(COAST PRODUCTS INC.)	Can be separated
OSD/LT	(DREW/ASHLAND)	Can be separated
OWS	(DREW/ASHLAND)	Can be separated
OXYGEN CONTROL	(UNITOR)	Easy to separate
PRECISION CLEAN MK 10		Easy to separate
PROTEA C10	(SYSTEM SEPARATION)	Can be separated*
PROTEA C15	(SYSTEM SEPARATION)	Can be separated*
PROTEA C16	(SYSTEM SEPARATION)	Can be separated*
P60	(PROLS)	Can be separated
P652 (STRONG)	(PROLS)	Easy to separate
PARSON ALL PURPOSE CLEANER		Easy to separate
PAXCOOL	(FUCHS LUBRICANTS)	Easy to separate
RENO REX GRÖN	(CITCO)	Easy to separate
RENO REX KOCKOS	(CITCO)	Can be separated*
RENO REX FT	(CITCO)	Can be separated*
ROCOR NB	(UNITOR)	Easy to separate
RUST & STAIN REMOVER	(DREW/ASHLAND)	Can be separated*
SAF-ACID DESCALING COMPOUND	(DREW/ASHLAND)	Can be separated*
SAXIN (3% Solution)	(HENKEL TECHNOLOGIES)	Can be separated
SEACLEAN	(UNITOR)	Can be separated*
SEACARE O.S.D.	(UNITOR)	Can be separated
SELL CLEANER 150	(HENKEL TECHNOLOGIES)	Can be separated
S-200 OILGONE	(RBL ENVIRONMENTAL (IEP))	Can be separated
S-1 EXTRA	(KEMILUX)	Can be separated
SLCC-A	(DREW/ASHLAND)	Can be separated
SNC 2000 CARBON REMOVER	(DREW/ASHLAND)	Can be separated
SNOWCLEAN GROVTVÄTT LIVS	(A CLEAN PARTNER)	Can be separated*
SOOT REMOVER	(UNITOR)	Can be separated
ST HAMEX F-20		Easy to separate
STACK-MAGIC ECO-F	(HOUGHTON)	Easy to separate
STOLT B	(UNITOR)	Can be separated*
TANKKLEEN	(UNITOR)	Can be separated*

**Always keep a high level in the bilge water tank when using these chemicals in order to obtain a buffer effect*

TECHNICLEAN GT	(CASTROL)	Can be separated
TC 4	(DREW/ASHLAND)	Can be separated*
TEIJE CLEANER T-10 KS	(TEIJE NORGE A/S)	Can be separated
TEXCOOL	(CHEVRON)	Easy to separate
TOMAHAWK	(HYDROKRAFT)	Easy to separate
TITAN INDUSTRI SU 124	(LILLEBORG AS)	Can be separated
TRIDOL AFFF	(ANGUS FIRE)	Easy to separate
TUFF GREEN R.T.U.	(ZEP INC.)	Can be separated*
TURBO RENS	(RENICO AB)	Easy to separate
ULTRA SONIC CLEANER	(UNITOR)	Easy to separate
UNICLEAN COCOS	(VIKINGHJÄLMEN PROD.)	Can be separated
UNIWASH	(UNITOR)	Can be separated*
UNIMIN P3	(UNITOR)	Can be separated*
UNIMIN P6	(UNITOR)	Can be separated*
VECOM AIR COOLER CLEANER	(VECOM)	Can be separated
VECOM QUICK SPLIT CLEANER	(VECOM)	Easy to separate
VARLA MIKRO	(VARLA KEMI)	Easy to separate
VIAFORM LIQUID	(ADDCON)	Easy to separate
VIAFORM GRANULAR	(ADDCON)	Easy to separate
VITA SUPER SAM EXTRA		Easy to separate
WARDOL UNIVERSAL	(WARDOL)	Easy to separate
WAVE 1		Can be separated
YRKES VASK	(STATOIL)	Can be separated*

**Always keep a high level in the bilge water tank when using these chemicals in order to obtain a buffer effect*